

Historic, Archive Document


Do not assume content reflects current
scientific knowledge, policies, or practices.

ASB252
7145

5

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES
Cotton Quality Report



CLASSINGS THROUGH JANUARY 31, 2002

VOL. 75, NO. 4

February 7, 2002

USDA
NATL AGRICULTURAL
LIBRARY
2001 JUL 30 P 2 2
CURRENT SERIALS
ACQ / SERIALS DIV

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 31, 2002

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	5	96	1,625	11,010	58,513	177,096	379,835	591,695	1,219,875
	3	2	95	1,166	6,469	27,496	92,840	253,377	448,653	830,098
	4	-	2	58	454	2,297	7,315	19,974	37,627	67,727
	5	-	-	3	23	102	388	767	1,061	2,344
	6	-	-	-	2	6	11	16	34	69
	7	-	-	-	-	-	-	-	-	-
TOTAL---		7	193	2,852	17,958	88,414	277,650	653,969	1,079,070	2,120,113
31	1-2	-	16	230	1,478	8,257	41,656	120,514	166,257	338,408
	3	21	118	699	3,960	28,028	184,728	820,552	1,565,779	2,603,885
	4	1	20	267	1,365	7,102	33,816	155,288	396,972	594,831
	5	-	1	37	139	697	2,670	8,007	16,935	28,486
	6	-	-	2	13	35	180	337	779	1,346
	7	-	-	-	1	-	12	26	28	67
TOTAL---		22	155	1,235	6,956	44,119	263,062	1,104,724	2,146,750	3,567,023
41	1-2	-	4	23	190	1,061	5,484	18,694	28,857	54,313
	3	6	39	206	1,365	11,253	83,175	396,448	810,880	1,303,372
	4	1	13	236	1,000	5,944	33,599	152,856	407,515	601,164
	5	1	7	54	303	1,435	5,915	15,779	29,866	53,360
	6	-	1	10	50	251	1,080	2,556	3,542	7,490
	7	-	-	-	6	23	86	194	475	784
TOTAL---		8	64	529	2,914	19,967	129,339	586,527	1,281,135	2,020,483
51	1-2	-	-	1	19	136	640	1,997	3,063	5,856
	3	-	-	4	193	1,700	10,629	42,678	80,124	135,328
	4	-	-	5	76	897	5,393	19,173	43,125	68,669
	5	-	-	1	50	267	904	2,471	4,521	8,214
	6	-	-	1	19	127	374	768	781	2,070
	7	-	-	1	9	48	121	211	221	611
TOTAL---		-	-	13	366	3,175	18,061	67,298	131,835	220,748
61	1-2	-	-	-	1	28	49	70	60	208
	3	-	-	-	4	64	269	702	1,018	2,057
	4	-	-	-	11	66	286	620	814	1,797
	5	-	-	-	1	10	64	178	182	435
	6	-	-	-	-	2	15	36	57	110
	7	-	-	-	-	-	1	5	4	10
TOTAL---		-	-	-	17	170	684	1,611	2,135	4,617
71	1-2	-	-	-	-	2	1	1	3	7
	3	-	-	-	-	4	24	23	16	67
	4	-	-	-	-	-	7	25	12	44
	5	-	-	-	-	-	4	3	5	12
	6	-	-	-	-	1	2	2	2	7
	7	-	-	-	-	-	1	2	-	3
TOTAL---		-	-	-	-	7	39	56	38	140
12 & 22	1-2	2	40	470	2,710	11,089	24,614	39,136	49,016	127,077
	3	-	51	590	2,404	8,702	21,364	35,341	44,396	112,848
	4	1	5	47	299	1,008	2,661	4,935	6,586	15,542
	5	-	-	5	13	49	103	225	283	678
	6	-	-	-	-	-	4	3	9	16
	7	-	-	-	-	-	-	-	-	-
TOTAL---		3	96	1,112	5,426	20,848	48,746	79,640	100,290	256,161
32	1-2	13	14	139	678	2,947	9,494	17,099	16,431	46,815
	3	21	163	670	2,354	10,299	37,122	101,905	130,294	282,828
	4	5	72	358	1,330	4,183	11,369	27,186	48,963	93,466
	5	-	3	61	191	536	1,491	2,780	3,606	8,668
	6	-	-	8	14	47	97	185	171	522
	7	-	1	2	2	5	4	23	11	48
TOTAL---		39	253	1,238	4,569	18,017	59,577	149,178	199,476	432,347
42	1-2	-	9	32	237	941	2,906	5,303	5,051	14,479
	3	1	46	542	3,070	12,363	47,855	151,950	216,007	431,834
	4	1	23	279	1,770	7,230	25,049	91,955	183,835	310,142
	5	1	13	58	620	2,429	6,333	11,793	16,526	37,773
	6	-	8	27	110	611	1,668	2,188	2,159	6,771
	7	-	3	9	15	48	177	260	255	767
TOTAL---		3	102	947	5,822	23,622	83,988	263,449	423,833	801,766
52	1-2	-	1	9	145	868	2,063	2,192	1,871	7,149
	3	-	6	203	1,469	7,305	16,665	27,724	28,993	82,365
	4	-	7	143	898	3,165	8,893	22,976	37,898	73,980
	5	-	2	34	281	657	1,258	2,917	4,989	10,138
	6	-	-	4	94	374	702	778	740	2,692
	7	-	-	5	43	155	241	246	186	876
TOTAL---		-	16	398	2,930	12,524	29,822	56,833	74,677	177,200

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 31, 2002

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	1	67	410	626	172	57	1,333
	3	-	-	3	114	746	2,034	2,260	952	6,109
	4	-	-	1	29	239	655	919	841	2,684
	5	-	-	-	2	22	70	142	236	472
	6	-	-	-	2	3	3	36	61	105
	7	-	-	-	2	-	2	7	7	18
TOTAL---		-	-	5	216	1,420	3,390	3,536	2,154	10,721
13 & 23	1-2	1	1	32	220	943	2,031	3,723	5,005	11,956
	3	-	2	45	263	957	2,124	3,500	4,612	11,503
	4	-	1	19	101	198	353	463	584	1,719
	5	-	-	5	11	9	25	36	37	123
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
TOTAL---		1	4	101	595	2,107	4,533	7,723	10,238	25,302
33	1-2	4	2	18	151	616	1,893	4,085	4,490	11,259
	3	3	21	81	409	1,702	5,424	12,667	17,362	37,669
	4	-	3	40	202	758	1,724	3,317	5,082	11,126
	5	-	1	8	41	191	275	481	533	1,530
	6	-	-	-	2	11	31	45	29	118
	7	-	-	-	1	-	1	1	6	9
TOTAL---		7	27	147	806	3,278	9,348	20,596	27,502	61,711
43	1-2	-	-	8	58	213	684	1,188	1,158	3,309
	3	-	14	207	638	1,852	6,366	16,568	22,644	48,289
	4	1	6	98	357	1,287	3,953	10,684	17,779	34,165
	5	-	2	20	137	562	1,309	2,079	2,575	6,684
	6	-	1	2	28	110	354	429	387	1,311
	7	-	-	-	2	17	24	46	41	130
TOTAL---		1	23	335	1,220	4,041	12,690	30,994	44,584	93,888
53	1-2	-	1	13	149	612	1,071	822	403	3,071
	3	-	4	114	841	3,389	8,153	10,581	6,640	29,722
	4	-	-	38	419	1,378	3,615	7,219	7,666	20,335
	5	-	-	9	147	319	467	966	1,173	3,081
	6	-	-	5	44	104	85	122	144	504
	7	-	-	2	8	16	20	38	38	122
TOTAL---		-	5	181	1,608	5,818	13,411	19,748	16,064	56,835
63	1-2	-	-	1	94	392	316	125	37	965
	3	-	1	11	455	2,433	3,911	3,668	1,443	11,922
	4	-	-	8	156	948	2,101	2,292	1,402	6,907
	5	-	-	2	26	157	376	377	304	1,242
	6	-	-	1	13	8	20	19	44	105
	7	-	-	-	3	4	1	1	1	10
TOTAL---		-	1	23	747	3,942	6,725	6,482	3,231	21,151
24-54	1-7	-	4	50	319	1,022	2,860	6,730	9,614	20,599
25-35	1-7	-	-	-	-	1	3	6	8	18
81-85 1/	1-7	-	-	9	332	1,633	3,015	3,034	1,978	10,001
All Colors	8 2/	-	3	8	33	95	179	343	416	1,077
TOTAL, ALL---		91	946	9,183	52,834	254,220	967,122	3,062,477	5,555,028	9,901,901

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 31, 2002

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	637,857	560,225	372,514	97,285	16,038	1,670	1,685,589
	3	417,709	336,847	219,744	55,089	12,932	5,181	1,047,502
	4	34,760	19,040	10,609	2,231	496	115	67,251
	5	853	367	206	29	7	2	1,464
	6	19	7	6	1	1	-	34
	7	-	-	1	-	-	-	1
TOTAL---		1,091,198	916,486	603,080	154,635	29,474	6,968	2,801,841
31	1-2	133,456	78,788	36,226	8,260	1,052	85	257,867
	3	1,245,704	559,476	151,366	24,182	4,193	1,509	1,986,430
	4	422,172	223,330	64,897	6,989	1,299	162	718,849
	5	17,735	9,351	3,540	606	134	14	31,380
	6	682	289	138	52	9	1	1,171
	7	36	14	16	7	-	1	74
TOTAL---		1,819,785	871,248	256,183	40,096	6,687	1,772	2,995,771
41	1-2	23,911	10,513	3,110	544	38	1	38,117
	3	657,646	279,229	59,537	3,866	601	22	1,000,901
	4	499,057	276,100	66,249	4,733	863	14	847,016
	5	36,844	23,466	6,545	888	170	8	67,921
	6	2,534	1,206	576	119	17	1	4,453
	7	251	108	119	24	4	-	506
TOTAL---		1,220,243	590,622	136,136	10,174	1,693	46	1,958,914
51	1-2	2,701	1,353	306	14	1	-	4,375
	3	65,544	32,103	6,008	223	15	-	103,893
	4	50,647	30,960	6,858	655	54	303	89,477
	5	5,571	3,518	995	269	71	-	10,424
	6	541	364	211	54	14	2	1,186
	7	120	55	59	11	-	-	245
TOTAL---		125,124	68,353	14,437	1,226	184	4	209,328
61	1-2	47	25	6	1	-	-	79
	3	662	250	66	7	2	-	987
	4	628	215	68	8	1	-	920
	5	170	87	45	7	-	-	309
	6	45	27	45	10	-	-	127
	7	1	8	2	1	-	-	12
TOTAL---		1,553	612	232	34	3	-	2,434
71	1-2	6	2	2	-	-	-	10
	3	12	11	2	-	-	-	25
	4	11	7	10	-	-	1	29
	5	4	1	2	-	-	-	7
	6	1	1	3	-	-	-	5
	7	-	1	-	-	-	-	1
TOTAL---		34	23	19	-	-	1	77
12 & 22	1-2	36,492	17,079	7,969	1,885	333	43	63,801
	3	30,962	16,206	9,050	2,211	446	56	58,931
	4	5,468	2,356	1,152	206	69	15	9,266
	5	211	86	41	5	1	-	344
	6	4	1	1	-	-	-	6
	7	-	-	-	-	-	-	-
TOTAL---		73,137	35,728	18,213	4,307	849	114	132,348
32	1-2	9,174	3,811	2,178	634	87	7	15,891
	3	76,681	30,600	12,134	3,072	472	155	123,114
	4	43,041	18,568	5,915	989	227	33	68,773
	5	3,158	1,473	440	129	49	6	5,255
	6	152	73	19	15	6	3	268
	7	5	4	2	2	2	-	15
TOTAL---		132,211	54,529	20,688	4,841	843	204	213,316
42	1-2	2,454	935	558	295	13	-	4,255
	3	126,198	46,051	9,796	975	149	27	183,196
	4	172,508	78,786	16,780	640	88	5	268,807
	5	15,322	7,889	2,057	211	66	5	25,550
	6	1,143	504	169	62	26	-	1,904
	7	164	48	22	6	2	-	242
TOTAL---		317,789	134,213	29,382	2,189	344	37	483,954
52	1-2	829	242	58	16	3	-	1,148
	3	16,369	6,681	1,589	169	9	2	24,819
	4	31,873	13,257	2,278	81	7	3	47,499
	5	5,458	2,841	491	22	6	3	8,821
	6	533	248	75	12	8	1	877
	7	119	25	14	3	2	-	163
TOTAL---		55,181	23,294	4,505	303	35	9	83,327

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 31, 2002

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	20	4	3	1	-	-	28	1,361
	3	426	223	98	5	-	-	752	6,861
	4	530	164	96	8	1	4	803	3,487
	5	131	58	8	2	1	-	200	672
	6	37	13	9	2	-	-	61	166
	7	13	4	3	1	-	-	21	39
TOTAL---		1,157	466	217	19	2	4	1,865	12,586
13 & 23	1-2	3,638	1,509	585	105	7	-	5,844	17,800
	3	3,065	1,335	587	116	11	3	5,117	16,620
	4	419	194	51	5	2	-	671	2,390
	5	19	11	-	-	-	-	30	153
	6	1	-	-	-	-	-	1	2
	7	-	-	-	-	-	-	-	-
TOTAL---		7,142	3,049	1,223	226	20	3	11,663	36,965
33	1-2	2,926	1,470	616	108	13	4	5,137	16,396
	3	12,497	6,483	3,311	935	89	12	23,327	60,996
	4	4,373	1,880	816	223	20	1	7,313	18,439
	5	298	128	79	9	3	-	517	2,047
	6	16	9	3	-	-	-	28	146
	7	2	1	-	-	-	-	3	12
TOTAL---		20,112	9,971	4,825	1,275	125	17	36,325	98,036
43	1-2	788	361	306	130	4	1	1,590	4,899
	3	14,884	7,012	2,981	697	57	11	25,642	73,931
	4	14,878	6,758	2,256	346	30	4	24,272	58,437
	5	1,778	766	294	50	16	1	2,905	9,589
	6	184	72	20	16	9	1	302	1,613
	7	24	3	2	4	1	-	34	164
TOTAL---		32,536	14,972	5,859	1,243	117	18	54,745	148,633
53	1-2	129	49	42	18	-	-	238	3,309
	3	3,017	1,165	688	130	6	4	5,010	34,732
	4	4,877	1,751	449	59	4	-	7,140	27,475
	5	875	385	83	7	1	-	1,351	4,432
	6	80	52	29	4	-	-	165	669
	7	26	6	-	6	1	-	39	161
TOTAL---		9,004	3,408	1,291	224	12	4	13,943	70,778
63	1-2	2	4	3	-	-	-	9	974
	3	306	91	98	7	-	-	502	12,424
	4	475	116	117	16	-	-	724	7,631
	5	197	55	24	1	-	-	277	1,519
	6	62	52	14	-	-	-	128	233
	7	1	2	-	2	-	-	5	15
TOTAL---		1,043	320	256	26	-	-	1,645	22,796
24-54	1-7	7,366	3,617	2,054	578	44	4	13,663	34,262
25-35	1-7	6	3	-	-	-	-	9	27
81-85 1/	1-7	1,053	540	270	62	14	1	1,940	11,941
All Colors	8 2/	304	110	62	4	-	-	480	1,557
TOTAL, ALL---		4,915,978	2,731,564	1,098,932	221,462	40,446	9,206	9,017,588	18,919,489
EXTRANEEOUS MATTER		Average Staple -----							34.5
		Percent Tenderable -----							64.0
Bark - Level 1		410,821							
Bark - Level 2		440							
Grass - Level 1		134,098							
Grass - Level 2		1,015							
Prep - Level 1		9,050							
Prep - Level 2		90							
Other - Level 1		11,458							
Other - Level 2		33							

18,919,489 bales classed, includes 25,076 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.3	0.9	2.0	3.1	3.4	3.0	2.0	0.5	0.1	*	15.4
	3	*	*	*	*	0.1	0.5	1.3	2.4	2.2	1.8	1.2	0.3	0.1	*	9.9
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	*	*	*	0.1	0.5	1.5	3.5	5.7	5.8	4.8	3.2	0.8	0.2	*	26.0
31	1-2	-	*	*	*	*	0.2	0.6	0.9	0.7	0.4	0.2	*	*	*	3.2
	3	*	*	*	*	0.1	1.0	4.3	8.3	6.6	3.0	0.8	0.1	*	*	24.3
	4	*	*	*	*	*	0.2	0.8	2.1	2.2	1.2	0.3	*	*	*	6.9
	5	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	0.2	1.4	5.8	11.3	9.6	4.6	1.4	0.2	*	*	34.7
41	1-2	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
	3	*	*	*	*	0.1	0.4	2.1	4.3	3.5	1.5	0.3	*	*	*	12.2
	4	*	*	*	*	*	0.2	0.8	2.2	2.6	1.5	0.4	*	*	*	7.7
	5	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	0.1	0.7	3.1	6.8	6.4	3.1	0.7	*	*	*	21.0
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	0.1	0.2	0.4	0.3	0.2	*	*	*	-	1.3
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	-	-	*	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	*	2.3
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	3	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.9
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	2.1
32	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	*	*	*	*	*	0.2	0.5	0.7	0.4	0.2	0.1	*	*	*	2.1
	4	*	*	*	*	*	0.1	0.1	0.3	0.2	0.1	*	*	*	*	0.9
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	*	*	*	*	0.1	0.3	0.8	1.1	0.7	0.3	0.1	*	*	*	3.4
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	0.1	0.3	0.8	1.1	0.7	0.2	*	*	*	*	3.3
	4	*	*	*	*	*	0.1	0.5	1.0	0.9	0.4	0.1	*	*	*	3.1
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	*	*	*	*	0.1	0.4	1.4	2.2	1.7	0.7	0.2	*	*	*	6.8
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	0.6
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	*	*	1.4

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.5
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	4	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
53	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL—		*	*	*	0.3	1.3	5.1	16.2	29.4	26.0	14.4	5.8	1.2	0.2	*	100.0
EXTRANEOUS MATTER																
Bark - Level 1		2.2														
Bark - Level 2		*														
Grass - Level 1		0.7														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														

18,919,489 bales classed includes 25,076 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.7	0.4	0.1	*	*	-	-	1.8
	3	-	-	-	-	*	0.3	2.4	4.4	2.9	1.3	0.2	*	-	-	11.6
	4	-	-	-	-	*	*	0.2	0.5	0.5	0.3	0.1	*	-	-	1.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.4	3.1	5.7	3.8	1.6	0.3	*	-	-	15.0
31	1-2	-	-	-	-	*	0.1	0.6	0.8	0.5	0.1	*	-	-	-	2.2
	3	-	-	-	-	*	1.0	6.4	13.1	11.1	4.6	0.8	*	-	-	37.0
	4	-	-	-	-	*	0.1	1.4	4.6	5.3	2.7	0.6	*	-	-	14.7
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	0.1	1.3	8.4	18.7	17.1	7.5	1.4	*	-	-	54.5
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	-	0.4
	3	-	-	-	-	*	0.6	2.8	4.8	3.4	1.0	0.1	*	-	-	12.7
	4	-	-	-	-	*	0.2	1.3	3.1	3.0	1.1	0.2	*	-	-	9.0
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.8	4.3	8.4	6.8	2.2	0.4	*	-	-	22.9
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.2	0.8	0.9	0.3	0.1	*	-	-	-	2.3
	4	-	-	-	-	*	0.1	0.3	0.3	0.2	*	*	-	-	-	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.3	1.1	1.3	0.6	0.1	*	*	-	-	3.4
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.2	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	*	-	-	1.3
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.3

* Less than 0.05 percent.

Table 3. — **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*		
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
TOTAL—		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*		
	3	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*		
	4	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*		
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
33	1-2	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*		
	3	-	-	-	-	-	*	*	*	-	*	*	-	-	-	0.1		
	4	-	-	-	-	-	*	*	*	-	*	*	-	-	-	0.1		
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2		
43	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	3	-	-	-	-	-	*	*	*	-	*	*	-	-	-	0.1		
	4	-	-	-	-	-	*	*	*	-	*	*	-	-	-	0.1		
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2		
53	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	3	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*		
	4	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*		
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	6	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL—		-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL—		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
24-54	1-7	-	-	-	-	-	*	*	*	-	*	*	*	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL, ALL—		-	-	-	-	0.2	3.1	17.9	35.4	29.3	11.9	2.2	*	-	-	100.0		
EXTRANEEOUS MATTER																Average Staple	34.4	
																Percent Tenderable	78.9	
Bark - Level 1		3.9																
Bark - Level 2		*																
Grass - Level 1		0.9																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 1		-																

899,728 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	1.8	7.9	19.0	19.1	8.7	0.5	*	-	57.5
	3	-	-	-	*	*	*	0.3	1.5	3.4	3.4	1.7	0.2	*	*	10.4
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.3	2.1	9.5	22.5	22.7	10.5	0.7	*	*	68.3
31	1-2	-	-	-	*	*	0.1	0.7	2.3	3.3	2.9	1.3	0.1	*	-	10.8
	3	-	-	-	*	*	0.1	0.4	1.5	2.6	2.3	1.2	0.1	*	-	8.3
	4	-	-	-	-	*	*	0.1	0.4	0.5	0.3	0.2	*	*	-	1.7
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL—		-	-	-	*	*	0.2	1.3	4.3	6.5	5.6	2.7	0.2	*	-	20.9
41	1-2	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	-	-	0.9
	3	-	-	-	-	*	*	0.1	0.4	0.5	0.5	0.1	*	-	-	1.6
	4	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.5	1.2	1.2	0.8	0.2	*	-	-	4.1
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.2	*	*	-	1.7
	3	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	-	-	1.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.1	0.5	1.1	1.0	0.4	*	*	-	3.2
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	*	*	0.2	0.5	0.5	0.3	0.1	*	*	-	1.8
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	-	-	1.0
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 4. — **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	*	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL, ALL—		-	-	-	*	0.1	0.9	4.6	16.6	32.2	30.7	14.0	1.0	*	100.0		
EXTRANEEOUS MATTER																	
Bark - Level 1		3.6															
Bark - Level 2		*															
Grass - Level 1		0.5															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		0.6															
Other - Level 1		*															

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.6
	3	-	-	-	-	*	*	0.2	0.7	0.4	0.2	0.1	*	-	-	1.6
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.3	1.0	0.6	0.3	0.1	*	-	-	2.3
31	1-2	-	-	-	-	*	0.1	0.6	1.2	0.8	0.3	*	-	-	-	3.0
	3	-	-	-	-	*	0.2	3.3	8.6	8.2	4.4	0.8	*	-	-	25.5
	4	-	-	-	-	*	*	0.3	1.7	3.7	2.4	0.6	*	-	-	8.6
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	0.3	4.2	11.4	12.7	7.2	1.4	*	-	-	37.4
41	1-2	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.2	2.0	5.8	6.3	3.1	0.6	*	-	-	18.2
	4	-	-	-	-	*	*	0.6	3.3	7.2	4.6	1.0	*	-	-	16.7
	5	-	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	-	-	1.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	0.2	2.8	9.5	14.1	8.2	1.8	*	-	-	36.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.7	0.7	0.3	*	-	-	-	1.9
	4	-	-	-	-	-	*	0.1	0.4	0.8	0.5	0.1	*	-	-	1.8
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	0.3	1.1	1.5	0.9	0.1	*	-	-	-	4.0
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.3	0.7	0.6	0.2	*	-	-	-	1.9
	4	-	-	-	-	-	*	0.1	0.4	0.5	0.3	0.1	*	-	-	1.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	0.4	1.1	1.1	0.5	0.1	*	-	-	-	3.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	0.1	0.6	1.5	1.4	0.6	0.1	*	-	-	4.4
	4	-	-	-	-	-	*	0.5	1.9	3.1	1.8	0.4	*	-	-	7.7
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	-	0.1	1.1	3.5	4.7	2.6	0.6	*	-	-	12.7
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	-	*	0.1	0.3	0.4	0.2	*	-	-	-	1.1
	5	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	-	0.2	0.5	0.7	0.4	*	*	-	-	-	1.9

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	-	-	0.9
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	-	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL, ALL—		-	-	-	*	*	0.8	9.5	28.8	36.2	20.5	4.2	*	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,788,031 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	1.0	3.8	10.2	15.2	12.5	4.3	0.8	0.1	48.0
	3	-	-	-	*	*	*	0.1	1.0	4.8	10.9	8.7	2.3	0.6	0.3	28.7
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	*	*	0.2	1.1	4.8	15.1	26.4	21.5	6.6	1.4	0.4	77.4
31	1-2	-	-	-	-	*	*	0.1	0.6	1.7	1.6	1.0	0.3	*	*	5.3
	3	-	-	-	*	*	*	0.1	0.4	1.5	2.9	2.5	0.9	0.2	0.1	8.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.5	0.5	0.1	*	*	1.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	*	*	0.2	1.1	3.4	5.0	4.0	1.4	0.3	0.1	*	15.4
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	3	-	-	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.4
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	0.1	0.2	0.6	1.0	0.8	0.2	*	*	2.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.6
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.2	*	*	*	1.3
32	1-2	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	0.1	0.1	0.3	0.4	0.2	*	*	*	1.1
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL---	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	*	0.2	1.5	6.4	19.9	33.5	27.6	8.7	1.7	0.5	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.3														
Other - Level 1		*														

1,713,979 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. — *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.2	0.3	0.2	-	-	-	-	-	0.7
	3	-	-	-	-	-	0.1	1.1	2.6	1.6	0.3	-	-	-	-	5.9
	4	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.2	1.4	3.1	1.9	0.4	-	-	-	-	7.0
31	1-2	-	-	-	-	-	-	0.4	0.9	0.5	0.1	-	-	-	-	1.9
	3	-	-	-	-	-	0.4	4.4	14.5	14.8	4.2	0.3	-	-	-	38.7
	4	-	-	-	-	-	-	0.5	1.9	2.4	1.4	0.2	-	-	-	6.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.5	5.4	17.3	17.7	5.7	0.4	-	-	-	47.1
41	1-2	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.5
	3	-	-	-	-	-	0.4	3.5	10.3	10.7	3.1	0.2	-	-	-	28.3
	4	-	-	-	-	-	0.2	1.3	3.2	3.6	1.9	0.2	-	-	-	10.3
	5	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.6	4.9	13.8	14.5	5.1	0.4	-	-	-	39.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.3	1.3	1.6	0.7	0.1	-	-	-	-	4.0
	4	-	-	-	-	-	0.1	0.5	0.7	0.4	0.1	-	-	-	-	1.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.5	1.9	2.3	1.1	0.2	-	-	-	-	5.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	0.1	1.9	13.7	36.7	35.4	11.4	0.9	-	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	2.2															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

147,330 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. — *Georgia*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.4	0.8	0.6	0.1	*	*	-	-	2.0
	3	-	-	*	*	*	0.3	1.7	4.3	3.2	0.8	0.1	*	-	-	10.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	0.3	2.2	5.3	3.9	0.9	0.1	*	-	-	12.9
31	1-2	-	-	*	*	*	0.2	0.6	0.9	0.4	0.1	*	*	-	-	2.2
	3	-	-	*	*	0.3	2.2	9.6	18.3	10.9	2.5	0.4	*	-	-	44.4
	4	-	-	*	*	*	0.2	1.2	2.6	1.9	0.5	0.1	*	-	-	6.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	*	*	0.3	2.6	11.4	21.9	13.3	3.2	0.5	*	-	-	53.3
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	*	*	0.1	1.0	4.0	7.4	4.8	1.2	0.2	*	-	-	18.7
	4	-	-	*	*	*	0.3	1.4	2.7	2.0	0.6	0.1	*	-	-	7.1
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	*	*	0.2	1.4	5.5	10.3	6.9	1.8	0.3	*	-	-	26.4
51	1-2	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.2	0.9	1.6	1.0	0.2	*	*	-	-	4.0
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	*	*	*	0.3	1.2	2.1	1.3	0.3	*	*	-	-	5.2
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	-	-	0.5
	4	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	-	0.5
	4	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	*	-	-	1.0
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 8. -- *Georgia*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.7	4.9	20.9	40.3	25.8	6.3	1.0	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.3															
Bark - Level 2	*															
Grass - Level 1	0.6															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

2,142,739 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. — *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
31	1-2	-	-	-	-	*	*	0.4	0.6	0.3	*	*	*	-	-	1.4
	3	-	-	-	-	*	0.3	2.5	5.6	4.4	1.3	0.2	*	-	-	14.4
	4	-	-	-	-	-	*	0.1	0.3	0.5	0.3	*	*	*	-	1.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.4	2.9	6.5	5.3	1.6	0.3	*	*	-	17.0
41	1-2	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	*	-	0.7
	3	-	-	-	-	*	1.2	6.9	13.1	8.4	2.0	0.4	0.1	*	-	32.1
	4	-	-	-	-	*	0.1	1.2	3.8	4.5	1.9	0.5	0.2	*	-	12.2
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	1.4	8.3	17.3	13.1	4.1	0.9	0.3	*	-	45.3
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.4	0.7	0.4	0.1	*	*	*	-	1.6
	4	-	-	-	-	*	*	0.3	0.7	0.8	0.3	0.1	*	-	-	2.2
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.7	1.5	1.2	0.4	0.1	*	*	-	4.1
61	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.7	0.9	0.5	0.1	*	*	-	-	2.3
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	0.8	1.2	0.6	0.2	*	*	-	-	2.9
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	1.2	3.9	4.6	2.0	0.3	*	*	*	-	12.1
	4	-	-	-	-	*	0.4	1.6	2.8	2.0	0.6	0.1	*	-	-	7.5
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	1.5	5.7	7.6	4.2	1.0	0.1	*	*	-	20.1
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.3	0.8	0.8	0.3	*	*	*	-	-	2.2
	4	-	-	-	-	*	0.2	0.8	1.3	0.9	0.2	*	*	*	-	3.4
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.5	1.7	2.1	1.3	0.3	*	*	*	-	6.0

* Less than 0.05 percent.

Table 9. -- *Louisiana* : Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	0.1	0.4	0.5	0.2	-	-	-	-	-	1.3
	5	-	-	-	-	-	0.1	0.2	0.3	0.2	-	-	-	-	-	0.8
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.2	0.6	0.8	0.5	0.1	-	-	-	-	2.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	-	0.6
	4	-	-	-	-	-	0.1	0.2	0.3	0.2	-	-	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.2	0.5	0.4	0.2	0.1	-	-	-	-	1.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.2	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
24-54	1-7	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.1	4.5	21.4	37.7	26.6	7.7	1.5	0.4	0.1	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		-														
Grass - Level 1		0.9														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

1,044,622 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. - Less than 0.05 percent.

Table 10. — **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.5	0.2	*	*	*	-	-	0.9
	3	-	-	-	-	*	*	0.3	0.8	0.5	0.1	*	*	-	-	1.9
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	0.6	1.4	0.7	0.2	*	*	-	-	2.9
31	1-2	-	-	-	*	*	0.1	0.5	0.9	0.3	0.1	*	-	-	-	1.9
	3	-	-	-	*	*	0.5	4.2	9.6	6.6	1.9	0.2	*	*	-	23.0
	4	-	-	-	*	*	*	0.4	1.6	1.9	0.8	0.1	*	*	-	4.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.6	5.2	12.1	8.9	2.7	0.3	*	*	-	29.9
41	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.5	3.7	8.3	5.3	1.4	0.2	*	*	*	19.3
	4	-	-	-	*	*	0.1	1.3	4.6	5.3	2.4	0.4	*	*	*	14.1
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	0.6	5.1	13.2	11.0	3.9	0.6	*	*	*	34.5
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	*	-	-	1.5
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.1
	4	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
32	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	1.0	1.6	0.8	0.2	*	*	*	-	3.8
	4	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	*	-	-	1.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.2	1.2	2.1	1.3	0.4	*	*	*	-	5.3
42	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.5	2.6	4.3	2.1	0.5	*	*	*	-	10.1
	4	-	-	-	*	*	0.2	1.5	3.7	3.0	1.0	0.1	*	*	-	9.5
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.7	4.3	8.1	5.4	1.6	0.2	*	*	-	20.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	-	-	0.7
	4	-	-	-	*	*	0.1	0.3	0.6	0.5	0.1	*	*	-	*	1.7
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.1	0.6	1.0	0.7	0.2	*	*	-	*	2.6

* Less than 0.05 percent.

Table 10. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	-	0.8
	4	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.3	0.7	0.5	0.2	*	*	-	-	1.7
53	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	-	-	0.6
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL, ALL—		-	-	-	*	0.1	2.6	17.8	39.5	29.1	9.5	1.3	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

2,332,809 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. — *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.4
	3	-	-	-	-	-	-	-	0.1	0.4	0.3	0.1	-	-	-	0.9
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	0.3	0.6	0.4	0.1	*	-	-	1.4
31	1-2	-	-	-	-	-	-	0.2	1.0	1.5	0.8	0.1	-	-	-	3.5
	3	-	-	-	-	-	-	0.4	2.9	7.5	7.8	1.7	-	-	-	20.4
	4	-	-	-	-	-	-	*	0.4	1.5	2.3	0.6	-	-	-	4.7
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.7	4.3	10.5	10.9	2.3	*	-	-	28.7
41	1-2	-	-	-	-	-	-	0.1	0.5	0.7	0.3	-	-	-	-	1.6
	3	-	-	-	-	-	-	0.6	4.2	11.6	11.1	2.6	-	-	-	30.2
	4	-	-	-	-	-	-	0.2	1.5	5.1	6.4	1.7	-	-	-	14.9
	5	-	-	-	-	-	-	*	*	0.2	0.3	*	-	-	-	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.9	6.2	17.6	18.1	4.3	*	-	-	47.3
51	1-2	-	-	-	-	-	-	*	*	0.1	*	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.9	2.3	2.3	0.5	-	-	-	6.1
	4	-	-	-	-	-	-	*	0.4	1.3	1.6	0.4	-	-	-	3.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.2	1.4	3.7	3.9	0.8	*	-	-	10.0
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.2	0.4	0.5	0.1	-	-	-	1.3
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	-	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	0.2	0.6	0.7	0.2	*	-	-	1.8
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.4	1.5	1.9	0.5	-	-	-	4.5
	4	-	-	-	-	-	-	*	0.2	0.8	1.5	0.5	-	-	-	2.9
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.1	0.6	2.4	3.4	1.0	*	-	-	7.6
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	0.2	0.4	0.4	0.1	-	-	-	1.1
	4	-	-	-	-	-	-	*	0.1	0.2	0.4	0.1	-	-	-	0.8
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	0.2	0.7	0.8	0.2	*	-	-	2.0

* Less than 0.05 percent.

Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY		LEAF	STAPLE														TOTAL	
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL—	-	-	-	-	-	*	*	*	*	0.1	*	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.4		
	4	-	-	-	-	-	-	*	*	0.2	0.2	*	*	-	-	0.2		
	5	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	*		
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	TOTAL—	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	-	-	-	0.7	
53	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL—	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
TOTAL, ALL—		-	-	-	-	*	0.1	2.0	13.3	36.5	38.8	9.2	*	-	-	-	100.0	
EXTRANEEOUS MATTER																Average Staple	35.4	
Bark - Level 1		0.3															Percent Tenderable	64.3
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

673,783 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. — *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.2	2.8	10.6	13.6	16.9	18.6	6.3	2.0	0.2	71.2
	3	-	-	-	-	-	0.1	0.2	0.5	0.5	1.0	4.6	5.4	3.4	0.6	16.3
	4	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.4	0.2	1.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.3	2.9	11.2	14.1	17.9	23.6	12.1	5.8	1.0	88.9
31	1-2	-	-	-	-	-	*	0.3	0.5	0.6	0.6	0.7	0.2	*	*	2.9
	3	-	-	-	-	-	0.1	0.1	0.2	0.3	0.3	0.9	0.7	0.6	0.1	3.3
	4	-	-	-	-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.1	1.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	0.1	0.3	0.7	0.9	1.0	2.0	1.3	1.1	0.3	7.7
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	-	0.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	3	-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	*	0.9
	4	-	-	-	-	-	-	*	*	-	*	0.1	*	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	0.2	0.2	0.2	0.3	0.3	0.4	0.1	1.7
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	-	*	*	-	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	0.2	0.2	0.2	*	0.6
42	1-2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 12. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	*	0.4	3.4	12.2	15.4	19.5	26.4	14.0	7.5	1.3	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		"														
Other - Level 1		-														

57,897 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 13. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.2	0.8	1.8	2.1	0.9	0.1	-	-	-	5.9
	4	-	-	-	-	*	-	0.1	0.3	0.3	0.1	*	-	-	-	0.9
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	*	-	-	0.2	0.9	2.2	2.5	1.0	0.1	-	-	-	7.0
31	1-2	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	-	0.5
	3	-	-	-	-	0.1	1.2	6.3	14.3	15.6	7.5	1.1	-	-	-	46.1
	4	-	-	-	-	-	0.3	2.7	8.2	7.9	3.9	0.9	-	-	-	23.9
	5	-	-	-	-	*	-	0.1	0.4	0.4	0.1	-	-	-	-	1.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	0.2	1.6	9.2	23.0	24.0	11.5	2.0	-	-	-	71.5
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	0.3	1.2	2.7	2.8	1.3	0.2	*	-	-	8.6
	4	-	-	-	-	*	0.2	1.1	3.0	2.9	1.6	0.4	*	-	-	9.2
	5	-	-	-	-	-	-	0.1	0.4	0.3	0.1	*	-	-	-	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	0.1	0.4	2.5	6.1	6.1	3.1	0.7	*	-	-	19.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	0.1	0.1	0.1	*	-	-	-	-	0.4
	4	-	-	-	-	-	-	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	0.1	0.4	0.4	0.2	*	*	-	-	1.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL—	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	0.2

* Less than 0.05 percent.

Table 13. — *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.3	2.3	12.9	32.2	33.3	15.9	2.9	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.0															
Bark - Level 2	*															
Grass - Level 1	2.0															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 2	*															

1,612,546 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.1	0.1	0.3	1.5	6.1	12.3	15.2	4.3	0.6	*	40.5
	3	-	*	*	*	0.1	0.2	0.3	0.5	1.4	3.0	3.5	0.9	0.2	*	10.0
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	*	*	0.1	0.2	0.3	0.7	2.0	7.6	15.4	18.7	5.2	0.8	*	50.9
31	1-2	-	*	*	*	*	0.1	0.4	0.8	1.0	1.5	2.2	0.7	0.1	*	6.7
	3	*	*	*	*	0.2	0.5	1.0	1.6	1.5	1.5	1.6	0.7	0.1	*	8.6
	4	-	*	*	*	0.1	0.1	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	*	*	0.1	0.1	0.3	0.7	1.7	2.7	2.8	3.2	3.9	1.3	0.2	*	16.9
41	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.5
	3	*	*	*	0.1	0.2	0.3	0.7	1.2	1.1	0.7	0.2	*	-	-	4.5
	4	-	*	0.1	0.1	0.2	0.4	0.8	1.2	1.0	0.6	0.1	*	*	-	4.5
	5	-	*	*	*	*	0.1	0.4	0.6	0.4	0.2	*	*	-	-	1.8
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	*	*	0.1	0.2	0.5	0.9	2.2	3.2	2.7	1.5	0.4	*	*	-	11.8
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	*	0.2
	5	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	-	-	*	*	0.1	0.2	0.3	0.2	0.2	*	*	-	-	-	1.0
61	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	0.1	0.4	0.4	0.2	*	*	-	1.2
	3	-	-	*	*	*	0.1	0.1	0.1	0.3	0.3	0.1	*	*	-	1.1
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	*	*	0.1	0.1	0.1	0.2	0.7	0.8	0.3	*	*	-	2.4
32	1-2	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	3	*	*	*	*	0.1	0.2	0.5	0.8	0.7	0.3	0.1	*	*	-	2.9
	4	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	0.9
	5	-	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	*	*	0.1	0.1	0.2	0.4	0.8	1.2	1.2	0.6	0.2	*	*	-	4.6
42	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	*	*	*	*	0.1	0.4	0.9	1.2	0.6	*	*	-	-	3.3
	4	-	*	*	*	*	0.2	0.5	0.7	0.9	0.4	*	-	-	-	2.8
	5	*	*	*	*	*	0.2	0.3	0.4	0.3	0.1	*	-	-	-	1.2
	6	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	*	*	*	*	0.2	0.6	1.4	2.1	2.5	1.1	0.1	*	*	-	8.0
52	1-2	-	-	-	*	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5

* Less than 0.05 percent.

Table 14. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.3
33	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
	3	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.7
	4	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.2	0.3	0.3	0.2	0.1	-	-	-	1.3
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.6
	4	-	-	-	-	-	-	0.1	0.2	0.1	0.1	-	-	-	-	0.5
	5	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	0.1	0.1	0.3	0.5	0.4	0.2	-	-	-	-	1.7
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL, ALL—		-	0.1	0.3	0.7	1.6	3.7	7.8	12.8	18.5	23.1	23.8	6.6	1.0	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		6.9														
Bark - Level 2		-														
Grass - Level 1		-														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

190,150 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.6	0.3	0.1	*	*	-	-	1.5
	3	-	-	-	*	0.1	0.7	2.5	4.6	3.3	0.9	0.2	*	-	-	12.4
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	0.1	0.9	3.0	5.5	3.9	1.1	0.3	*	-	-	14.8
31	1-2	-	-	-	*	0.1	0.3	0.5	0.5	0.2	*	*	-	-	-	1.5
	3	-	-	-	*	0.8	5.8	14.3	16.4	8.6	2.0	0.2	*	-	-	48.1
	4	-	-	-	*	0.2	1.3	4.0	5.2	3.1	0.9	0.2	*	-	-	14.8
	5	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL—	-	-	-	0.1	1.1	7.4	19.0	22.2	12.0	3.0	0.4	*	-	-	65.1
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	0.2	1.2	2.4	2.3	1.3	0.3	*	*	-	-	7.7
	4	-	-	-	*	0.2	0.9	2.2	2.3	1.3	0.4	*	*	-	-	7.4
	5	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	0.4	2.2	4.8	4.9	2.8	0.7	0.1	*	-	-	16.1
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	1.0
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.2	0.2	0.1	*	*	*	*	-	-	0.6
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	TOTAL—	-	-	-	*	*	0.3	0.5	0.3	0.1	*	*	*	-	-	1.3
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.4
	4	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	0.5	0.4	0.1	*	*	*	-	-	1.4
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 15. — *South Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
TOTAL, ALL—		-	-	-	0.1	1.8	11.3	28.1	33.7	19.2	5.0	0.8	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	-															
Grass - Level 1	0.8															
Grass - Level 2	"															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	"															
Other - Level 1	-															

403,412 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 16. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.5	1.5	1.0	0.3	0.1	-	-	-	-	3.5
	3	-	-	-	-	*	0.3	1.9	2.7	1.4	0.5	0.1	*	-	-	6.8
	4	-	-	-	-	-	*	*	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.8	3.5	3.9	1.8	0.6	0.1	*	-	-	10.7
31	1-2	-	-	-	-	0.1	1.2	2.8	1.8	0.5	0.1	-	-	-	-	6.4
	3	-	-	-	-	0.1	2.1	11.3	15.4	7.4	2.7	0.4	*	-	-	39.4
	4	-	-	-	-	*	0.1	0.8	2.2	2.0	0.9	0.2	*	-	-	6.1
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	0.2	3.3	14.9	19.5	9.9	3.7	0.7	*	-	-	52.1
41	1-2	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	-	-	0.6
	3	-	-	-	-	*	0.7	3.4	4.9	2.4	0.8	0.1	*	-	-	12.4
	4	-	-	-	-	*	0.2	0.9	1.7	1.4	0.7	0.2	*	-	-	5.1
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	1.0	4.6	6.8	4.0	1.7	0.3	*	-	-	18.3
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
32	1-2	-	-	-	-	*	0.3	0.4	0.2	*	*	-	-	-	-	1.0
	3	-	-	-	-	*	0.7	2.4	2.3	0.9	0.2	*	*	-	-	6.6
	4	-	-	-	-	-	*	0.2	0.5	0.4	0.1	*	*	-	-	1.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	0.1	1.0	3.1	3.0	1.3	0.4	0.1	*	-	-	8.9
42	1-2	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.4	1.5	1.5	0.6	0.1	*	*	-	-	4.0
	4	-	-	-	-	*	0.1	0.5	0.7	0.5	0.2	*	*	-	-	2.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	0.6	2.1	2.3	1.1	0.3	*	*	-	-	6.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 16. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	-	0.4	7.1	29.3	36.6	18.7	6.8	1.2	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	"															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	"															
Other - Level 1	-															

949,930 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.3	1.4	3.9	7.6	10.0	7.1	3.3	1.5	0.2	*	*	35.4
	3	*	*	*	0.1	0.6	1.8	3.2	4.3	3.1	1.4	1.0	0.2	*	*	15.9
	4	-	*	*	*	*	0.2	0.3	0.4	0.3	0.1	0.1	*	*	*	1.6
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL—	*	*	0.1	0.4	2.1	5.9	11.1	14.7	10.6	4.9	2.6	0.5	*	*	52.9
31	1-2	-	*	*	*	0.1	0.5	0.8	0.9	0.6	0.3	0.1	*	*	*	3.4
	3	*	*	*	0.1	0.3	1.0	2.0	2.2	1.5	0.8	0.5	0.1	*	*	8.7
	4	-	*	*	*	0.1	0.3	0.7	0.9	0.6	0.3	0.2	0.1	*	*	3.2
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	-	*	*	*	*	-	*	-	-	-	*
	TOTAL—	*	*	*	0.1	0.6	1.9	3.7	4.1	2.8	1.4	0.9	0.2	*	*	15.7
41	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	3	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	2.0
	4	-	-	*	*	0.1	0.2	0.4	0.5	0.3	0.1	0.1	*	*	*	1.7
	5	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL—	*	*	*	*	0.2	0.6	1.1	1.3	0.9	0.5	0.2	*	*	*	4.9
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	*	*	*	0.1	0.3	0.6	0.9	1.1	0.7	0.3	0.1	*	*	-	3.9
	3	-	*	*	0.1	0.2	0.5	0.7	0.9	0.6	0.2	0.1	*	*	*	3.3
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	*	*	*	0.1	0.5	1.1	1.8	2.1	1.4	0.5	0.2	*	*	*	7.7
32	1-2	-	*	*	*	0.1	0.1	0.2	0.3	0.1	*	*	*	*	-	0.9
	3	-	*	*	*	0.2	0.5	0.8	0.9	0.6	0.2	0.1	*	*	*	3.4
	4	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	-	1.5
	5	-	*	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	*	*	*	0.1	0.4	0.9	1.5	1.7	1.0	0.3	0.2	*	*	*	6.1
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	*	*	0.1	0.3	0.4	0.4	0.4	0.2	*	*	*	*	*	1.8
	4	-	*	*	*	0.2	0.3	0.4	0.4	0.2	0.1	*	*	*	*	1.7
	5	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	-	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	-	*	*	0.1	0.5	0.9	1.2	1.1	0.5	0.1	*	*	*	*	4.5
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	*	*	*	0.2	0.3	0.3	0.2	0.1	*	*	*	*	-	1.1
	4	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL—	-	*	*	0.1	0.3	0.5	0.4	0.3	0.1	*	*	*	*	-	1.8

* Less than 0.05 percent.

Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	*	*	*	0.1	0.1	*	*	*	*	*	-	-	0.2
13 & 23	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
33	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	3	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	1.0
	4	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	0.1	*	*	*	1.6
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.6
	4	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		*	*	*	*	0.1	0.2	0.3	0.3	0.1	0.1	0.1	*	*	*	1.2
53	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	-	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL---		-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	-	0.8
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	0.1	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.3
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	*	-	0.5
24-54	1-7	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	*	*	-	*
81-85 1/	1-7	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL---		*	*	0.2	1.2	5.1	12.9	22.3	26.6	18.2	8.2	4.4	0.9	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	5.6															
Bark - Level 2	*															
Grass - Level 1	0.8															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

4,126,939 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.2	1.0	1.4	1.0	0.2	-	-	-	3.8
	4	-	-	-	-	-	-	-	0.2	0.3	0.2	0.1	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	0.2	1.2	1.8	1.1	0.2	-	-	-	4.6
31	1-2	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.4
	3	-	-	-	-	-	0.5	4.2	12.3	16.1	8.9	1.8	-	-	-	43.8
	4	-	-	-	-	-	0.1	1.1	5.5	9.4	5.8	1.7	-	-	-	23.6
	5	-	-	-	-	-	-	-	0.1	0.4	0.3	0.1	-	-	-	0.9
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	0.6	5.4	18.0	26.0	15.0	3.6	0.1	-	-	68.7
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.2	1.4	3.4	4.1	1.8	0.4	-	-	-	11.3
	4	-	-	-	-	-	0.1	0.7	2.8	4.6	3.2	1.3	0.1	-	-	12.8
	5	-	-	-	-	-	-	-	0.2	0.4	0.4	0.2	-	-	-	1.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.3	2.1	6.4	9.2	5.4	1.9	0.1	-	-	25.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.1	0.2	0.2	-	-	-	-	0.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.1	0.2	0.1	-	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
January 31, 2002

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	1.0	7.8	25.9	37.4	21.9	5.8	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														Average Staple 34.9
Bark - Level 2		"														Percent Tenderable 77.7
Grass - Level 1		2.7														
Grass - Level 2		"														
Prep - Level 1		"														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

177,968 Bales classed. 1/ Below Grade Color. 2/ Below GradeLeaf. " Less than 0.05 percent.

Table 19. — Percentage distribution of mike and fiber strength for upland cotton classed through January 31, 2002

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE									
24 & below	*	*	*	*	*	*	*	*	*
25	*	*	*	*	*	*	*	*	*
26	*	*	*	*	*	*	*	*	*
27	0.1	*	*	*	0.1	*	*	*	0.1
28	0.1	0.1	*	*	0.1	*	*	*	0.1
29	0.2	0.1	*	*	0.2	0.1	*	*	0.1
30	0.3	0.2	0.1	0.1	0.3	0.1	*	*	0.1
31	0.4	0.2	0.1	0.1	0.5	0.1	*	*	0.1
32	0.6	0.3	0.1	0.2	0.9	0.2	*	0.1	0.3
33	0.8	0.4	0.2	0.3	1.2	0.3	*	0.1	0.3
34	1.2	0.5	0.3	0.5	1.6	0.5	*	0.1	0.3
35	1.7	0.6	0.5	0.8	1.9	0.7	*	0.2	0.6
36	2.3	0.8	0.7	1.4	2.2	1.1	*	0.3	0.8
37	2.9	1.0	0.9	2.3	2.8	1.6	0.1	0.4	1.2
38	3.5	1.4	1.2	3.5	3.2	2.3	0.1	0.5	1.7
39	4.5	1.7	1.6	5.3	4.0	3.4	0.2	0.7	2.3
40	5.3	2.4	2.3	7.2	5.3	4.7	0.5	1.1	3.2
41	6.3	2.9	3.2	9.6	6.5	6.1	0.9	1.6	4.1
42	7.1	3.8	4.2	11.4	7.6	7.8	1.6	2.3	5.1
43	7.8	4.9	5.4	12.6	8.7	9.5	2.6	3.3	6.3
44	8.4	6.1	6.8	11.6	9.2	10.9	3.9	4.5	7.4
45	8.7	7.4	8.0	9.0	9.6	11.2	5.6	6.0	8.1
46	8.4	8.5	8.9	6.9	8.7	10.5	7.8	7.4	8.5
47	7.7	9.5	9.4	5.1	7.6	9.0	10.1	8.7	8.5
48	6.8	10.0	9.3	4.0	6.5	7.0	12.2	9.7	8.1
49	5.4	9.4	8.9	3.1	5.0	5.0	13.2	10.3	7.1
50	3.8	8.2	7.9	2.1	3.1	3.3	12.8	10.3	6.2
51	2.5	7.1	6.8	1.4	1.8	2.1	11.0	9.6	5.3
52	1.6	5.1	5.4	0.8	0.9	1.2	8.3	8.4	4.5
53	0.9	3.5	3.8	0.4	0.2	0.7	5.2	6.5	3.5
54	0.5	2.2	2.3	0.2	0.1	0.3	2.7	4.4	2.6
55	0.1	1.1	1.1	0.1	*	0.1	1.0	2.5	1.7
56	0.1	0.5	0.5	*	*	*	0.3	1.0	1.0
57	*	0.1	0.1	*	*	*	*	0.1	0.5
58	-	*	*	*	-	*	*	*	0.1
59	-	*	*	-	-	*	-	*	-
60 & above	-	-	-	-	-	*	-	-	-
Average mike	43	47	45	44	47	45	47	45	44
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	*	*	*	*	*	*	*	*	*
20	*	*	*	*	*	*	*	*	*
21	*	*	*	*	*	*	*	*	*
22	0.1	0.2	*	*	0.1	0.1	*	*	*
23	0.7	0.7	0.1	0.1	1.1	0.7	0.6	0.5	0.1
24	3.5	2.3	0.7	0.3	4.0	2.3	3.1	2.6	0.3
25	10.2	6.4	2.7	0.9	8.9	6.4	9.0	8.6	1.2
26	19.2	12.9	8.6	2.1	14.6	12.7	18.0	19.4	5.0
27	23.0	19.5	20.8	3.5	20.4	19.0	24.3	26.9	14.9
28	18.9	22.2	29.2	4.6	22.4	21.0	22.0	23.0	26.7
29	12.3	18.7	22.2	5.1	16.5	17.1	13.7	12.3	28.1
30	7.1	10.6	10.6	7.5	7.9	11.1	5.9	4.5	16.3
31	3.6	4.3	3.4	13.9	2.9	5.7	2.1	1.3	5.3
32	1.2	1.5	0.9	21.6	0.8	2.5	0.8	0.4	1.4
33	0.2	0.5	0.4	20.6	0.2	0.9	0.4	0.2	0.4
34	0.1	0.2	0.2	12.5	0.1	0.3	0.2	0.1	0.1
35	*	*	0.1	5.1	*	0.1	*	0.1	0.1
36 & above	*	*	0.1	2.4	-	*	*	*	*
Average strength	27.3	27.8	28.1	31.7	27.5	28.0	27.4	27.2	28.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 19. — Percentage distribution of mike and fiber strength for upland cotton classed through
January 31, 2002

MIKE AND FIBER STRENGTH		NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	0.1	*	0.1	*	*	*	*	*
	25	0.1	*	0.2	*	*	*	*	*
	26	0.2	*	0.2	*	*	0.1	*	*
	27	0.2	*	0.3	*	*	0.1	*	*
	28	0.2	*	0.4	*	0.1	0.2	*	0.1
	29	0.3	*	0.4	*	0.1	0.3	*	0.1
	30	0.5	0.1	0.5	0.1	0.1	0.5	0.1	0.2
	31	0.8	0.1	0.6	0.1	0.2	0.6	0.2	0.2
	32	1.0	0.2	0.6	0.2	0.3	0.8	0.3	0.3
	33	1.5	0.4	0.8	0.3	0.3	1.0	0.5	0.4
	34	1.9	0.6	1.0	0.4	0.3	1.3	0.7	0.6
	35	3.0	1.0	1.3	0.7	0.5	1.8	1.0	0.9
	36	4.1	1.4	1.5	0.9	0.6	2.2	1.3	1.2
	37	5.2	2.0	1.9	1.3	0.7	2.6	1.8	1.6
	38	6.6	2.8	2.3	1.9	0.8	3.2	2.6	2.2
	39	7.9	3.8	3.0	2.7	1.0	3.8	3.4	2.9
	40	8.8	5.0	3.6	3.8	1.3	4.4	4.3	3.7
	41	8.8	6.4	4.5	5.1	1.6	4.9	5.5	4.6
	42	8.7	7.8	5.3	6.3	2.1	5.4	6.9	5.6
	43	8.2	9.0	6.3	7.4	2.8	6.0	8.1	6.6
	44	7.2	9.7	7.5	8.7	3.6	6.5	9.1	7.4
	45	5.6	9.9	8.4	9.7	4.6	7.0	9.6	7.9
	46	5.0	9.2	9.0	9.9	5.6	7.4	8.9	8.1
	47	4.0	8.2	9.3	9.7	6.8	7.6	7.7	8.1
	48	3.5	6.8	8.6	8.8	8.1	7.5	6.1	7.9
	49	2.7	5.3	7.1	7.2	9.2	6.9	5.1	7.3
	50	1.9	3.7	5.6	5.6	10.0	6.0	4.1	6.3
	51	1.1	2.6	4.1	4.0	10.2	4.8	3.5	5.3
	52	0.6	1.7	2.8	2.6	9.6	3.4	3.2	4.1
	53	0.4	1.0	1.6	1.4	8.2	2.0	2.5	2.9
	54	0.1	0.6	0.8	0.8	6.0	1.0	1.7	1.7
	55	*	0.3	0.4	0.3	3.4	0.4	1.0	0.9
	56	*	0.2	0.1	0.2	1.4	0.1	0.6	0.4
	57	*	0.1	*	0.1	0.4	*	0.1	0.1
	58	-	*	*	*	*	*	0.1	*
	59	-	*	*	*	-	*	-	*
	60 & above	-	*	-	-	-	*	-	*
Average mike		41	40	43	43	42	40	38	43
FIBER STRENGTH 1/									
	17 & below	-	-	-	-	-	*	-	*
	18	-	-	-	-	-	*	-	*
	19	-	-	*	-	*	*	-	*
	20	*	-	*	-	*	*	-	*
	21	*	-	*	-	*	0.2	-	*
	22	0.3	*	*	*	*	0.5	*	0.1
	23	1.3	0.1	0.2	0.1	0.2	1.1	0.1	0.5
	24	3.4	0.8	0.7	0.5	0.8	2.0	0.7	1.7
	25	5.3	5.1	2.4	3.1	3.0	3.5	4.1	4.9
	26	8.2	15.3	7.5	11.1	10.2	7.1	12.5	11.3
	27	10.8	23.8	14.2	20.5	24.9	13.6	21.6	18.6
	28	13.2	23.2	20.2	25.0	31.9	20.7	24.0	21.5
	29	14.4	15.5	20.0	20.0	19.5	21.7	17.6	17.0
	30	14.4	8.3	14.4	11.4	6.6	14.8	9.5	10.0
	31	12.3	4.2	8.9	5.3	1.7	7.9	4.3	5.5
	32	9.2	2.1	5.6	2.0	0.5	4.1	2.3	3.8
	33	4.8	1.0	3.5	0.7	0.3	1.9	1.5	2.7
	34	1.8	0.4	1.8	0.2	0.1	0.6	1.0	1.4
	35	0.5	0.1	0.6	*	0.1	0.1	0.4	0.5
	36 & above	0.1	*	0.2	*	*	*	0.3	0.2
Average strength		28.9	27.9	28.9	28.2	27.8	28.5	28.1	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through January 31, 2002

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA :	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
UNIFORMITY 1/									
72 & below	-	*	-	-	-	-	-	-	-
73	-	*	-	-	-	-	-	-	-
74	-	*	-	*	-	-	-	-	-
75	-	*	*	*	-	-	-	-	-
76	-	*	*	*	*	*	*	*	*
77	0.1	0.4	*	*	0.1	0.1	0.1	*	*
78	0.8	2.2	0.2	0.3	0.8	1.1	0.9	0.2	0.1
79	4.8	10.1	1.5	2.4	5.8	7.0	6.1	1.8	0.6
80	17.0	30.7	8.1	11.8	23.2	23.5	21.0	10.2	4.2
81	31.7	37.9	27.0	31.4	39.9	37.1	35.6	30.9	20.1
82	30.4	15.8	42.4	39.5	24.5	24.1	27.4	40.2	45.9
83	13.2	2.6	18.2	12.2	5.4	6.4	8.1	14.7	25.6
84	1.9	0.2	2.5	1.6	0.4	0.6	0.8	2.0	3.4
85	*	*	0.1	0.3	*	*	*	0.1	0.1
86	-	*	-	0.2	-	*	-	-	-
87	-	*	-	0.1	-	-	-	-	-
88	-	*	-	*	-	-	-	-	-
89	-	-	-	*	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.3	80.6	81.7	81.5	81.0	81.0	81.1	81.6	82.0
TRASH 2/									
0.0	-	*	*	*	-	*	-	-	-
0.1	2.2	30.1	1.2	28.9	0.9	2.3	0.5	1.4	1.6
0.2	16.8	43.5	11.8	43.3	14.7	19.9	9.7	13.2	14.9
0.3	25.4	15.0	22.8	17.8	29.4	30.7	25.3	24.0	28.7
0.4	22.3	5.0	24.1	5.9	26.5	23.7	26.2	23.5	26.8
0.5	15.0	2.3	18.0	2.1	15.7	13.1	17.9	16.7	16.1
0.6	8.7	1.3	10.8	0.9	7.4	6.0	10.0	9.8	7.3
0.7	4.6	0.9	5.7	0.4	3.1	2.5	5.1	5.3	2.9
0.8	2.4	0.6	2.8	0.3	1.3	1.0	2.5	2.8	1.1
0.9	1.2	0.4	1.4	0.1	0.5	0.5	1.3	1.5	0.4
1.0	0.6	0.3	0.7	0.1	0.2	0.2	0.7	0.8	0.2
1.1	0.3	0.2	0.4	*	0.1	0.1	0.4	0.5	0.1
1.2	0.2	0.1	0.2	*	*	0.1	0.2	0.3	*
1.3	0.1	0.1	0.1	*	*	*	*	0.1	*
1.4	*	0.1	*	*	*	*	*	*	*
1.5	*	0.1	*	*	*	*	*	*	*
1.6	*	*	*	*	*	*	*	*	*
1.7	*	*	*	*	*	*	*	*	*
1.8 & above	*	0.1	*	*	*	*	*	*	*
Average trash	0.41	0.23	0.43	0.22	0.39	0.37	0.43	0.43	0.38

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through January 31, 2002

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/								
72 & below	-	-	-	-	-	-	-	*
73	-	-	-	-	-	-	-	*
74	*	-	-	-	*	*	-	*
75	*	*	*	*	*	*	-	*
76	*	*	*	*	*	*	-	*
77	0.2	*	0.3	0.1	*	0.2	*	0.1
78	1.4	0.3	1.2	1.2	0.1	1.5	0.1	0.8
79	8.0	2.3	4.9	7.4	1.2	6.8	1.0	4.3
80	23.1	11.3	16.7	22.5	7.4	21.0	6.3	15.8
81	31.9	30.9	33.9	36.0	28.7	35.5	22.6	32.5
82	25.6	36.9	30.8	25.0	43.8	26.5	38.3	33.0
83	8.5	16.0	11.0	7.1	17.0	7.6	25.8	11.9
84	1.1	2.2	1.2	0.7	1.6	0.8	5.7	1.5
85	*	*	*	*	*	*	0.3	0.1
86	-	-	-	-	-	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	*
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.0	81.6	81.3	81.0	81.7	81.0	82.0	81.3
TRASH 2/								
0.0	0.3	-	*	-	-	*	-	*
0.1	39.1	0.5	32.7	1.6	3.4	21.2	0.2	9.7
0.2	33.2	7.9	29.9	14.8	24.7	32.0	6.3	22.0
0.3	13.8	20.8	15.6	25.3	31.5	20.6	20.4	23.4
0.4	6.6	24.7	9.0	23.7	21.0	11.6	25.8	18.8
0.5	3.4	19.6	5.1	16.3	10.7	6.4	20.3	12.1
0.6	1.7	12.3	3.0	9.1	4.8	3.5	12.9	6.8
0.7	0.8	6.7	1.7	4.5	2.1	2.0	6.9	3.5
0.8	0.4	3.5	1.0	2.2	0.9	1.1	3.5	1.7
0.9	0.3	1.8	0.7	1.1	0.5	0.6	1.8	0.9
1.0	0.1	1.0	0.4	0.6	0.2	0.4	0.9	0.5
1.1	0.1	0.6	0.3	0.3	0.1	0.2	0.5	0.3
1.2	0.1	0.3	0.2	0.2	0.1	0.1	0.2	0.2
1.3	*	0.2	0.1	0.1	*	0.1	0.1	0.1
1.4	*	0.1	0.1	*	*	*	*	*
1.5	-	*	0.1	*	*	*	*	*
1.6	*	*	*	*	*	*	*	*
1.7	-	*	*	*	*	*	*	*
1.8 & above	-	*	0.1	*	*	*	*	*
Average trash	0.22	0.47	0.26	0.41	0.34	0.29	0.47	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 21. -- Quality of American Pima cotton classed for producers by State and United States through January 31, 2002

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	42.1	32.9	38.7	38.0	33.5
	2	20.0	7.7	29.3	20.7	9.3
	3	0.2	0.1	0.2	0.1	0.1
	4	-	*	-	-	*
	5	-	-	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		62.3	40.7	68.2	58.8	42.9
02	1	4.3	31.2	5.8	19.1	29.3
	2	28.9	19.7	21.5	19.7	20.0
	3	0.8	1.3	2.7	0.7	1.3
	4	*	0.1	*	*	*
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		34.1	52.3	30.1	39.6	50.6
03	1	*	0.8	*	0.2	0.7
	2	1.5	1.9	0.3	1.0	1.8
	3	0.7	0.9	1.0	0.3	0.9
	4	0.1	0.1	0.2	*	0.1
	5	0.1	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		2.5	3.7	1.5	1.6	3.5
04	1	*	0.1	-	*	0.1
	2	0.1	0.7	*	*	0.7
	3	0.1	0.4	0.1	*	0.4
	4	0.1	0.1	*	-	0.1
	5	0.5	*	-	-	*
	6	0.1	*	-	-	*
	7	-	*	-	-	*
Total -----		0.7	1.4	*	*	1.2
05	1	*	*	-	-	*
	2	*	0.5	-	-	0.5
	3	*	0.6	-	-	0.5
	4	*	0.1	-	-	0.1
	5	0.2	*	-	-	*
	6	0.2	*	-	-	*
	7	-	*	-	-	*
Total -----		0.3	1.3	-	-	1.2
06	1	-	*	-	-	*
	2	-	0.2	-	-	0.2
	3	-	0.2	-	-	0.2
	4	-	0.1	-	-	0.1
	5	*	*	-	-	*
	6	0.1	*	-	-	*
	7	-	*	-	-	*
Total -----		-	0.4	-	-	0.4
07	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		-	*	-	-	*
STAPLE		-	-	-	-	-
40 & shorter		-	-	*	*	*
42		*	0.1	0.3	0.2	0.1
44		14.6	22.7	16.4	22.2	22.4
46		59.9	65.0	53.5	69.6	64.8
48 & longer		25.5	12.2	29.8	8.0	12.7
Average		46.1	45.8	46.4	45.7	46.0
UNIFORMITY		-	-	-	-	-
72 & below		-	-	-	-	-
73		-	-	-	-	-
74		-	-	-	-	-
75		-	-	-	-	-
76		-	-	-	-	-
77		-	-	-	-	-
78		-	-	-	-	-
79		-	*	-	-	*
80		*	*	0.1	*	*
81		0.2	0.3	0.8	*	0.4
82		0.9	1.8	3.1	0.5	1.6
83		4.9	7.5	11.1	5.2	7.2
84		19.0	21.5	27.7	23.6	23.0
85		34.9	34.6	34.9	56.5	40.2
86		27.8	23.8	17.6	13.0	20.6
87		10.3	8.2	4.2	1.1	6.0
88		1.8	1.8	0.4	0.1	1.0
89		0.1	0.2	*	*	0.2
90 & above		-	*	-	-	*
Average		85.2	85.0	84.6	84.8	84.9
BALES CLASSED		14,018	508,398	12,843	32,806	568,065

* Less than 0.05 percent.

Table 21. -- Quality of American Pima cotton classed for producers by State and United States through January 31, 2002

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	-	-	-	-
27 - 29	*	0.2	0.4	*	0.2
30 - 32	0.3	2.5	2.3	0.2	2.3
33 - 34	0.6	2.5	2.4	1.6	2.4
35 - 36	1.5	4.5	4.3	3.9	4.4
37 - 42	68.3	67.7	59.4	45.2	66.2
43 - 49	29.3	22.6	31.3	49.0	24.5
50 - 52	*	*	*	0.1	*
53 & above	-	-	-	-	-
Average	41	40	41	42	41
ALL MIKE					
24 & below	-	-	-	-	-
25	-	-	-	-	-
26	-	*	*	-	-
27	-	*	*	-	-
28	-	*	0.1	-	*
29	*	0.2	0.3	*	*
30	*	0.6	0.6	*	*
31	0.1	0.9	0.8	*	*
32	0.2	1.1	0.8	0.1	*
33	0.3	1.1	1.1	0.5	*
34	0.3	1.3	1.3	1.1	1.0
35	0.6	1.7	1.5	1.6	1.4
36	0.9	2.8	2.7	2.3	2.2
37	1.3	4.9	5.3	2.4	3.5
38	4.0	8.1	7.3	2.4	5.5
39	7.2	11.2	9.3	4.5	8.1
40	14.7	14.2	11.6	8.7	12.3
41	20.2	15.4	12.8	13.0	15.4
42	20.9	13.9	13.0	14.2	15.5
43	15.5	10.6	11.9	14.2	13.1
44	8.7	6.6	9.4	16.5	10.3
45	3.8	3.4	5.6	9.4	5.6
46	1.0	1.5	2.6	4.7	2.5
47	0.2	0.6	1.1	2.8	1.2
48	0.1	*	0.5	1.2	0.6
49	*	*	0.2	0.2	0.2
50	-	*	*	0.1	*
51	-	*	-	*	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	41	40	41	42	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	*	*	*	*	*
31	*	*	0.1	*	*
32	-	*	0.4	0.1	*
33	0.1	*	0.9	0.2	0.1
34	0.3	0.2	1.8	0.7	0.2
35	1.0	0.5	3.2	1.5	0.6
36	2.5	1.3	5.0	3.0	1.5
37	5.4	3.0	7.4	6.9	3.4
38	9.4	6.7	12.1	13.4	7.2
39	15.4	12.7	14.7	23.0	13.4
40	18.9	18.4	16.4	21.2	18.5
41	17.6	20.1	15.0	17.2	19.7
42	13.5	16.2	11.6	8.5	15.5
43	8.7	10.5	6.8	2.9	9.4
44	4.6	5.8	3.0	0.9	0.1
45 & above	2.6	4.7	1.5	0.5	*
Average	40.3	40.9	39.6	39.5	38.7
EXTRANEEOUS MATTER					
Bark	1.0	0.1	0.3	0.1	0.1
Grass	0.3	0.3	2.2	0.2	0.3
Spindle Twist	0.3	0.8	0.2	0.1	0.7
Preparation	*	1.6	*	*	1.5

* Less than 0.05 percent.

